





SUPERUP 500

TECHNICAL DATA / DATI TECNICI

BLADE MOTOR POWER POTENZA MOTORE LAMA	5,5 (7,5) kW
BLADE ROTATION SPEED VELOCITÀ ROTAZIONE LAMA	2800 rpm
ACOMPRESSED AIR ARIA COMPRESSA	7 nl/cycle 6-8 bar
SUCTION ASPIRAZIONE	2000 m³/h
WORKING HEIGHT ALTEZZA LAVORO	900 +/- 20 mm







SUPERUP 500 is the new semi-automatic cut-off machine produced by Salvador, an evolution of the historical Classic series. The machine has been improved by designing a sturdier structure, a more accessible and simple adjustment system and a series of innovative options, such as the retractable front guard.

GREAT VERSATILITY

Upper workpiece clamping press to adapt to different machining operations.

ROBUSTNESS AND ERGONOMICS

Frame completely made of largely thick painted reinforced steel. Safety bimanual cutting control in ergonomic position.

SUPERUP 500 è la nuova troncatrice semi-automatica prodotta da Salvador, evoluzione della serie storica Classic. La macchina è stata migliorata progettando una struttura più robusta, un sistema di regolazioni più accessibile e semplice e una serie di optional innovativi, come la protezione frontale a scomparsa.

GRANDE VERSATILITÀ

Pressore superiore di bloccaggio pezzo per adattarsi alle diverse lavorazioni.

ROBUSTEZZA ED ERGONOMIA

Struttura completamente in acciaio verniciato di grosso spessore e rinforzato. Comando di taglio bimanuale di sicurezza in posizione ergonomica.

